

## THE CHITTAGONG PORT AUTHORITY

MARINE DEPARTMENT

THE MAXIMUM ANTICIPATED SAFE FRESH WATER DRAUGHT IN THE KARNAFULLY RIVER FOR MONTH JULY/2021, AUGUST/2021, SEPTEMBER/2021, OCTOBER/2021, NOVEMBER/2021 & DECEMBER/2021

JULY/2021 METRE				AUGUST/	2021	SE	PTEMBE	R/2021 V	0	CTOBER	OVEMBER/ /2021		VEMBE		DECEMBER/2021			
			METRE			41.45	METR	E 12	METRE			METRE			METRE			
DATE 1ST	INWARD	OUTWARD	DATE	INWARD	OUTWARD	DATE	INWARD	OUTWARD	DATE	INWARD	OUTWARD	DATE	INWARD	OUTWARD	DATE	INWARD	OUTWARD	
2 <sup>ND</sup>	9.50	9.50	1 <sup>ST</sup>	9.50	9.50	1 <sup>ST</sup>	9.50	9.50	1 <sup>ST</sup>	9.50	9.50	151	9.50	9.50	151	9.50	9.50	
	9.50	9.50	2 <sup>ND</sup>	9.50	9.50	2 <sup>ND</sup>	9.50	9.50	2 <sup>ND</sup>	9.50	9.50	2 <sup>ND</sup>	9.50	9.50	2 <sup>NO</sup>	9.50	9.50	
3 <sup>RD</sup>	9.50	9.50	3 <sup>RD</sup>	9.50	9.50	3 <sup>RD</sup>	9.50	9.50	3 <sup>RD</sup>	9.50	9.50	3 <sup>RD</sup>	9.50	9.50	3 <sup>RD</sup>	9.50	9.50	
•	9.50	9.50	4 <sup>TH</sup>	9.50	9.50	<b>4</b> <sup>TH</sup>	9.50	9.50	4 <sup>TH</sup>	9.50	9.50	4 <sup>TH</sup>	9.50	9.50	<b>4</b> <sup>TH</sup>	9.50	9.50	
TH	9.50	9.50	5 <sup>TH</sup>	9.50	9.50	5 <sup>TH</sup>	9.50	9.50	5 <sup>TH</sup>	9.50	9.50	5 <sup>TH</sup>	9.50	9.50	5191	9.50	9.50	
TH	9.50	9.50	6 <sup>TH</sup>	9.50	9.50	6 <sup>TH</sup>	9.50	9.50	6 <sup>TH</sup>	9.50	9.50	6 <sup>TH</sup>	9.50	9.50	6 <sup>TH</sup>	9.50	9.50	
TH	9.50	9.50	7 <sup>TH</sup>	9.50	9.50	7 <sup>TH</sup>	9.50	9.50	7 <sup>TH</sup>	9.50	9.50	7111	9.50	9.50	7 <sup>TH</sup>	9.50	9.50	
TH	9.50	9.50	8 <sup>TH</sup>	9.50	9.50	8 <sup>TH</sup>	9.50	9.50	8 <sup>TH</sup>	9.50	9.50	8 <sup>TH</sup>	9.50	9.50	8 <sup>TH</sup>	9.50	9.50	
TH	9.50	9.50	9 <sup>TH</sup>	9.50	9.50	9 <sup>TH</sup>	9.50	9.50	9 <sup>TH</sup>	9.50	9.50	9 <sup>TH</sup>	9.50	9.50	9тн	9.50	9.50	
OTH	9.50	9.50	10 <sup>TH</sup>	9.50	9.50	10 <sup>TH</sup>	9.50	9.50	10 <sup>TH</sup>	9.50	9.50	10 <sup>1H</sup>	9.50	9.50	10 <sup>™</sup>	9.50	9.50	
1 <sup>TH</sup>	9.50	9.50	11 <sup>TH</sup>	9.50	9.50	. 11TH	9.50	9.50	11 <sup>TH</sup>	9.50	9.50	11 <sup>TH</sup>	9.50	9.50	11 <sup>TH</sup>	9.50	9.50	
2111	9.50	9.50	12 <sup>TH</sup>	9.50	9.50	12 <sup>TH</sup>	9.50	9.50	12 <sup>TH</sup>	9.50	9.50	12 <sup>TH</sup>	9.50	9.50	12 <sup>TH</sup>	9.50	9.50	
3 <sup>TH</sup>	9.50	9.50	13 <sup>TH</sup>	9.50	9.50	13 <sup>TH</sup>	9.50	9.50	13 <sup>TH</sup>	9.50	9.50	13 <sup>TH</sup>	9.50	9.50	13 <sup>TH</sup>	9.50	9.50	
4 <sup>TH</sup>	9.50	9.50	14 <sup>TH</sup>	9.50	9.50	14 <sup>TH</sup>	9.50	9.50	14 <sup>TH</sup>	9.50	9.50	14 <sup>TH</sup>	9.50	9.50	14 <sup>TH</sup>	9.50	9.50	
5 <sup>TH</sup>	9.50	9.50	15 <sup>TH</sup>	9.50	9.50	15 <sup>TH</sup>	9.50	9.50	15 <sup>TH</sup>	9.50	9.50	15 <sup>TH</sup>	9.50	9.50	15 <sup>TH</sup>	9.50	9.50	
6 <sup>TH</sup>	9.50	9.50	16 <sup>TH</sup>	9.50	9.50	16 <sup>TH</sup>	9.50	9.50	16 <sup>TH</sup>	9.50	9.50	16 <sup>TH</sup>	9.50	9.50	16 <sup>TH</sup>	9.50	9.50	
7 <sup>TH</sup>	9.50	9.50	17 <sup>TH</sup>	9.50	9.50	17 <sup>TH</sup>	9.50	9.50	17 <sup>TH</sup>	9.50	9.50	17 <sup>TH</sup>	9.50	9.50	17 <sup>TH</sup>	9.50	9.50	
8 <sup>TH</sup>	9.50	9.50	18 <sup>TH</sup>	9.50	9.50	18 <sup>TH</sup>	9.50	9.50	18 <sup>TH</sup>	9.50	9.50	18 <sup>TH</sup>	9.50	9.50	18 <sup>TH</sup>	9.50	9.50	
9 <sup>TH</sup>	9.50	9.50	19 <sup>TH</sup>	9.50	9.50	19 <sup>TH</sup>	9.50	9.50	19 <sup>TH</sup>	9.50	9.50	19TH	9.50	9.50	19 <sup>TH</sup>	9.50	9.50	
0 <sup>тн</sup>	9.50	9.50	20 <sup>TH</sup>	9.50	9.50	20 <sup>TH</sup>	9.50	9.50	20 <sup>TH</sup>	9.50	9.50	20 <sup>TH</sup>	9.50	9.50	20 <sup>TH</sup>	9.50	9.50	
1 <sup>ST</sup>	9.50	9.50	21 <sup>ST</sup>	9.50	9.50	21 <sup>ST</sup>	9.50	9.50	21 <sup>ST</sup>	9.50	9.50	21 <sup>ST</sup>	9.50	9.50	2151	9.50	9.50	
2 <sup>ND</sup>	9.50	9.50	22 <sup>ND</sup>	9.50	9.50	22 <sup>ND</sup>	9.50	9.50	22 <sup>ND</sup>	9.50	9.50	22 <sup>NO</sup>	9.50	9.50	22 <sup>NO</sup>	9.50	9.50	
3 <sup>RD</sup>	9.50	9.50	23 <sup>RD</sup>	9.50	9.50	23 <sup>RD</sup>	9.50	9.50	23 <sup>RD</sup>	9.50	9.50	23 <sup>RD</sup>	9.50	9.50	23 <sup>RD</sup>	9.50	9.50	
<b>4</b> <sup>TH</sup>	9.50	9.50	24 <sup>TH</sup>	9.50	9.50	24 <sup>TH</sup>	9.50	9.50	24 <sup>TH</sup>	9.50	9.50	24 <sup>TH</sup>	9.50		24 <sup>TH</sup>	9.50	9.50	
5 <sup>TH</sup>	9.50	9.50	25 <sup>™</sup>	9.50	9.50	25 <sup>TH</sup>	9.50	9.50	25 <sup>TH</sup>	9.50	9.50	25 <sup>TH</sup>	9.50	9.50	25 <sup>TH</sup>	9.50	9.50	
6 <sup>TH</sup>	9.50	9.50	26 <sup>TH</sup>	9.50	9.50	26 <sup>TH</sup>	9.50	9.50	26 <sup>TH</sup>	9.50	9.50	26 <sup>TH</sup>	9.50	9.50	26 <sup>TH</sup>	9.50	9.50	
7 <sup>TH</sup>	9.50	9.50	27 <sup>TH</sup>	9.50	9.50	27 <sup>TH</sup>	9.50		27 <sup>TH</sup>	9.50	9.50	27 <sup>TH</sup>	9.50		27 <sup>TH</sup>	9.50	9.50	
8 <sup>TH</sup>	9.50	9.50	28 <sup>TH</sup>	9.50	9.50	28 <sup>TH</sup>	9.50	9.50	28 <sup>TH</sup>	9.50	9.50	28 <sup>TH</sup>	9.50		28 <sup>TH</sup>	9.50	9.50	
9 <sup>TH</sup>	9.50		29 <sup>TH</sup>	9.50	9.50	29 <sup>TH</sup>	9.50	9.50	29 <sup>TH</sup>	9.50	9.50	29 <sup>TH</sup>	9.50		29 <sup>TH</sup>	9.50	9.50	
O <sup>TH</sup>	9.50	9.50	30 <sup>TH</sup>	9.50	9.50	30 <sup>TH</sup>	9.50	9.50	30 <sup>TH</sup>	9.50	9.50	30 <sup>7H</sup>	9.50		30TH	9.50	9.50	
1 <sup>ST</sup>	9.50	9.50	31 <sup>ST</sup>	9.50	9.50	. 10.17	A LEADING LC	J 1997 1-1	31 <sup>51</sup>	9.50	9.50	1167			31 <sup>ST</sup>	9.50	9.50	

NOTE: - 1) 0.30M may be reduced without prior notice from the day's maximum permissible draught in case the depth of water the bar decrease.

(CONTD ......P/2)

	JUL'	//202	1 3 .		AUGU	ST/20	21	SE	PTEN	BER/2	2021	(	OCTOE	BER/20	21	N	OVEM	BER/2	021	· DE	CEME	ER/20	21
AM:	3 <sup>RD</sup> 19 <sup>TH</sup>	to to	16 <sup>™</sup> 30 <sup>™</sup>	AM:	2 <sup>ND</sup> 17 <sup>TH</sup>	to to	14 <sup>TH</sup> 29 <sup>TH</sup>	AM:	15 <sup>TH</sup>	to	28 <sup>™</sup> €	AM:	1 <sup>ST</sup> 14 <sup>TH</sup> 30 <sup>TH</sup>	to to	11 <sup>TH</sup> 27 <sup>TH</sup> 31 <sup>ST</sup>	AM:	1 <sup>ST</sup> 12 <sup>TH</sup> 29 <sup>TH</sup>	to to	10 <sup>™</sup> 26 <sup>™</sup> 30 <sup>™</sup>	AM:	1 <sup>ST</sup> 12 <sup>TH</sup> 29 <sup>TH</sup>	to to	9 <sup>TH</sup> 25 <sup>TH</sup> 31 <sup>ST</sup>
<u>PM:</u>	17TH	2 <sup>ND</sup> &	18 <sup>™</sup>	<u>PM:</u>	1 <sup>ST</sup> 15 <sup>TH</sup>	EMB	16 <sup>™</sup>	<u>PM:</u>	13 <sup>TH</sup> 29 <sup>TH</sup>	203 &	14 <sup>TH</sup>	<u>PM:</u>	12 <sup>TH</sup> 28 <sup>TH</sup>	to & &	13 <sup>TH</sup> 29 <sup>TH</sup>	PM:	11 <sup>TH</sup> 27 <sup>TH</sup>	1000 1000 1 <b>83</b> 0	28 <sup>TH</sup>	<u>PM:</u>	10 <sup>TH</sup> 26 <sup>TH</sup>	to &	11 <sup>TH</sup> 27 <sup>TH</sup>
AM/PN	31 <sup>ST</sup>		J. Jan.	AM/PI	30 <sup>™</sup>	& NIL	31 <sup>st</sup>	AM/PI	В И:	30 <sup>™</sup>	nut <sub>e</sub>	AM/PI	M:	NIL	TAC C	AM/PI	V:	NIL	200	AM/PN	(1) E	28 <sup>TH</sup>	12.

## GENERAL

- (a) The maximum permissible draft for entering and leaving Chittagong Port berth is 9.50 Meters.
- (b) The maximum permissible length for entering and leaving Chittagong Port berth is 190.00° Meters.
- (c) The maximum permissible length for entering and leaving during night navigation is 175,00 Meters
- (d) The maximum permissible draft for Main Jetty area i.e. Jetty no.2 to 8 is 8.55 Meter & Jetty no.9 to 13, CCT, NCT, GSJ, DOJ-4-7, K(U & A) is 9.50 Metre.
- (e) The entry permissible draft would however depend on the day's maximum permissible draft.

For Master anchoring at Chittagong anchorage & entering harbour: -

- (1) Anchor at a safe distance from other vessels at anchor.
- (2) If the under keel clearance is less than two meters there is a possibility that you will drag your anchor. This is more prominent during spring tides and during monsoons. The tide can be as strong as 6 to 7 knots. Please keep vigilant watch for dragging anchor. In such situation please keep engine ready for immediate use to avoid contact with other vessel.
- (3) If you are lightering with other vessels alongside the chances of dragging anchor is even more.
- (4) As a precaution use more chains, keep your engine standby all the times and keep the nos. of lighter vessel alongside to minimum.
- (5) Keep a good anti theft lookout and employ watchmen onboard.
- When maneuvering for anchoring or picking pilot never attempt to cross other vessel Bow at close range. Please remember the current here is very strong. You may ride on others cable.
- (7) Deep draught vessels lightering at Alpha anchorage shall shift to Bravo or Charlie when they attain required draught usually 9.50 Meters to make room for safe anchoring of newly arrived relatively deeper draft vessels.
- (8) Vessel must have at least 16 rope for safe berthing. Tanker vessel having wire rope must have at least 12 polypropylene rope.
- (9) To facilitate smooth operation, At berth master of mother vessel must allow lighter tanker/fresh water barge to stay alongside as required by Harbour Master office.
- (10) Vessel should have atleast 0.20M by stern trim for channel navigation to get good steering effect.
- (11) While at anchor never keep any loose mooring Rope/gear on deck and do not allow unauthorized craft alongside your ship. Barter trade is prohibited in the port.
- (12) Sudden onset of windy weather is likely in this season. Please take immediate maneuvering action in such situation.

The details of berthwise permissible length and draft and details of Night Navigations and other navigational information's are given below: -

- 1. Vessels upto 170.00M LOA with minimum speed 10 knots, vessels LOA exceeding 170.00M and upto 190.00M with speed 12 knots may be berthed at jetties 2 to 8 draught not exceeding 8.55 Metre.
- Vessels having maximum LOA upto 190.00M can be berthed at GCB, CCT, NCT-2-4, GSJ, DOJ-5-7, DDJ, CUFLJ & KAFCO (A &U). Vessel having LOA 186.00M to 190.00M will be allowed to take berth at Jetty no.9 to 13, CCT, NCT-2-4, GSJ, DOJ-5-7 & K(A &U) with draught 0.50M less than the days permissible draught, LOA upto 177.00M and draught 9.50M at NCT/5 and NCT-1 is reserved for Pangaon ship. LOA upto 183.00M draught 7.6M at DOJ/3,LOA upto 160.00M draught 9.50M at DOJ/4. LOA upto 130.00M draught 7.8M at RM/10. Vessels having LOA upto 143.40M draught 8.25M and vessels having LOA more than 143.40M and upto 175.25M draught 7,90M can be berthed at KDDJ-2. Vessels having LOA upto 183.00M draught 9.50M can be berthed at UTT Jetty. Vessel having LOA 186.0M to 190.00M with draught 8.50M allowed to take berth at DDJ & CUFLJ.

338 may be resuced without price holice from the day' maximin bert assible fraught in case

- 3. Vessels having LOA upto 150.00M with maximum draught 8.50M will be allowed to take berth at CCJ respectively subject to day's permissible draught.
- 4. Vessels having LOA upto 150.00M with maximum draught 9.0M at Oil jetty and 6.0 at temporary jetty will be allowed to take berth at Matarbari Terminal.

\*Condition apply.

Abbreviation : M=Meter, LOA= Length over all.

(CONTD......P/3)

- The master of all vessels should declare correct fresh water draught to the pilot before entering the Harbour. This must be done in writing if the vessels is drawing the day's maximum permissible draught or a draught within 0.15M of permissible draught. In such cases, on taking berth the draught may be checked by the Harbour Master and if the vessels draught is found more than the permissible draught, the Master will be held responsible for misdeclaration. However vessels draft in excess upto 15cm should not be denied entry. Vessels should have 20 cm. by the astern. 6.
- INWARD ship must present themselves at Pilot boarding ground at least 3 hours before the day light high water at outer anchorage to enter on a particular day, the entry, however, will be subject to availability of berth, permissible draught, day light, rise of tide etc. However, priority vessels such as 24/48 hrs., RORO, CONTAINER, EXPORT LOADER etc. involving another vessels to be moved out from inside the Harbour for accommodating a Quota vessel should report to Pilotage ground at least 6(six) hours before the day's predicted high water time. 7.
- OUTWARD ship of light draught will leave with first day light flood & ship with maximum draught for a particular day will leave about 2 hours before the high water. SHIP MOVEMENT generally commences about 4/5 hrs. before the day's High water Time. 8.
- 9
- MOVEMENT OF VESSELS on the day's marked AM & PM depend upon draught, rise of tide, availability of berth & available day light. All concerned are to consult the Harbour Master 24hrs. before the movement. In such cases Ship's with day's maximum draught will be handled during AM or PM depending on the availability of day light hours. 10
- Vessels under 7 knots (at any condition) will not be normally handled and all such vessels will be classed as GRADE-II for operational purposes and shall be handled conveniently. Agents of
- The port will not be responsible if the declared draught is reduced due to conditions arising out of freshet effect or other causes which cannot be forecast. Owners & their agent are advised to 11 12.
- Vessels entering or leaving port must have full power on main engine & deck machinery's, both anchors with full length of chain must be available for use at all time. 13.
- (a) Arrived/Departed Ship: Line drawing 22º06.0' N from land towards sea, Vessel Crossing line will be treated arrived ship (North Bound) at Chittagong Port 14. (b) VTMIS equipments has been installed by CPA and running round the clock.

  - (c) Ship Masters are required to anchor clear of the "PROHIBITED ANCHOREAGE".
  - (d) Ship Masters must not anchor their vessels near the River entrance
  - (e) Ship Masters must manoeuvre with great care while embarking/disembarking pilots.
  - (f) Pilot ladder as per IMPA regulation must be provided.
  - (g) Ship Masters must note that the strong tidal conditions prevail at outer anchorage and utmost, care must be taken while manoeuvering anchoring or heaving up anchors.

  - (i) Vessels proceeding to anchor at Chittagong Roadsteads with more than 8.0m draft and specially vessels to be engaged in lightering operation must use at least 9 shackles of chain in water. (k) While anchoring master should keep minimum 5 shackle distance from other vessel, and avoid Fore and Aft line of another vessel.
- (I) Vessel need permission and consultation with Port Radio Control to anchor at anchorage. Relevant circular/ notification will be applicable.
- Ship master are advised in their own interest to maintain watch on the Fo'castle and poop deck while the vessels are at outer anchorage. 15. 16.
- Ship master must sent their ETA, DRAUGHT and other particulars to the undersigned well in advance. 17.
- All ships in port to provide requisite "RAT GUARDS" in the mooring ropes.
- Ship master on arrival and prior to departure, are required to ensure that the vessels draught marks are clearly visible for pilots to read the draught correctly. 18. 19.
- Ship master are required to ensure that no major chipping of ships side is carried out while their vessels are in port. 20.
- UNDUE "SMOKING" from the vessels funnel within the port area is strictly prohibited. 21.
- DICHARGING of water on the jetty and listing of vessels while alongside is strictly prohibited.
- IN AN EMERGENCY, signal for Tug in port consist of 4 prolonged blasts on the whistle. 22.

(CONTD ...... P/4)

IN AN EMERGENCY, the following may be contacted on PHONES:

			OFFICE:	RESIDENCE:	n 20 40 - 100 a
(a)	RADIO CONTROL	11 - 1	2510856	EXTENSION 2522200/2232	EXTENSION
(b)	DEPUTY CONSERVATOR	VEST (	2510842	2522200/2205 2510896	2522200
(c) (d)	HARBOUR MASTER DOCK MASTER		2510839 2510856	2522200/2206 02333310896 2522200/2207 -	2522200/3208
(e)	BERTHING SECTION			2522200/2234	N-Ir ill

- VHF(R/T) watch is maintained in the Port Administrative building, round the clock and the same can be contacted any time during day or night channel-12(Frequency 156.6MHZ or 24. Channel-16. Frequency 156.8 MHZ) watch on 2182 KHZ is also maintained simultaneously.
- All vessels within port limit shall strictly comply with existing port rules. 25.
- Ship masters approaching Chittagong road are advised not to attempt to cross bow of vessels at anchor/underway to avoid drifting on them resulting probable collision in view 26. of the prevailing strong current at outer anchorage. However, if it is inevitable to cross, ship master may do so with caution by giving wide berth to the vessels at anchor/underway considering the minimum velocity of the current being 6 knots and other marine factors.
- When a vessels is given standby from Radio Control for entering Port & Pilot is on his way, it is advisable that ship master should heave up anchor and wait for the Pilot steaming the tide near about position, Patenga Lighthouse bearing 045° (T) distance 2 miles if deemed safe to do so.
- Vessels having container on deck obstructing clear view of forward and or obstructing clear view of starboard side when viewed from port bridge wing and vice versa will not be allowed to 28 navigate in the channel of Kamafulli River. When considering clear view, small craft crossing the vessels bow should be taken into account.
- 29. Vessels arriving for demolishing purpose are advised to drop anchor at Designated scrap anchorage(North of Alpha Anchor).
- Under all circumstances international regulation for preventing collision at sea, 1972 and as amended in 2002 to be followed as closely as possible while navigating within the Port limit of CPA 30.

## 31 **NIGHT NAVIGATION:**

- (a) Vessels having LOA upto 175.00M with draught 0.50M less than the day's permissible draught will be allowed to take berth and sail out from GCB, CCT, NCT, TSP, GSJ, DDJ, CUFLJ &
- (b) Vessels with bridge on the Bow & vessels having containers on deck obstructing clear view forward will not be handled during night.
- (a) The permissible LOA for the entry to the port for vessels having navigation bridge at the bow is limited to 165.00 metres subject to fair weather. 32.
  - (b) To reduce the lateral windage area of CAR CARRIERS, RORO and Passenger vessels, the height from the water line to the upper most cargo/passenger deck is limited to 15 meters for handling in the Karnafulli channel.
  - (c) CAR CARRIER, RORO and Passenger vessel and vessels having Bridge at the Bow exceeding above 165 to 170.00M may be handled conveniently subject to fair weather (Wind force below 10 knots) and with special arrangements (using extra tugs and extra pilot etc.).
- 33. Permissible Height of mast above water level is limited upto 61 Metre due to over head cable for berthing at GCB.
- 34. CPA Circular no..46/2019, Dated: 01/10/2019 need to be complied regarding approaches to anchorage "A", "B" & "C"

Memo No. DC-VIII(24)PT.VIII/1938

Copy to :-

- All Members/ CPA
- Director(Traffic)/ CPA
- Harbour Master/ CPA.
- Dock Master/All Asstt. Harbour Masters & Karnafulli Pilots/ CPA.
- System Analyst/CPA.
- PA to Chairman/ CPA for favour of Chairman's information please.
- All Shipping Agents, Chittagong.

My Documents/Habib/Berthing/S.Draft

Scanned with CamSc

DEPUTY/CONSERVATOR CHITTAGONG PORT AUTHORITY